

case the RNA looks undegraded according to their electrophoretic pattern, but cloning fails despite a control RNA yielding good results under the same protocol, the following procedure might help. Precipitate RNA with ethanol, pellet the RNA, and, after drying in a vacuum concentrator, redissolve the RNA in sterile cacodylate buffer (0.02M cacodylic acid, 0.002M sodium-EDTA, pH adjusted to 7.2 with 1N NaOH) at a concentration of 1 mg/mL. Add, per mL of RNA, 0.2 mL cacodylate buffer, 80 μ L mercaptoethanol, and 0.2 mL of a sterile 20% SDS solution in water. Mix well and incubate for 1–2 min at 60°C in a water bath. Thereafter, add 4 mL of TE-phenol and incubate, with occasional shaking, for 10 min in an ice bath. Break the emulsion by centrifugation in a low-speed centrifuge with swingout rotor at 8000g for 15 min at 20°C, remove the aqueous phase, and precipitate the RNA as described in **Subheading 3.7**. Two wash steps with 70% ethanol should be performed to remove phenol residues. **Caution:** Be careful with cacodylate buffer; it is toxic.

References

1. Murphy, F. A., Fanquet, C. M., Bishop, D. H. L., Ghabrial, S. A., Jarvis, A. W., Martelli, G. P., Mayo, M. A., and Summers, M. D., eds. (1995) *Virus Taxonomy. Classification and Nomenclature of Viruses. Sixth Report of the International Committee on Taxonomy of Viruses*. *Arch. Virol. Suppl.* 10.
2. Fulton, R. W. (1983) Iilarvirus Group. *CMI/AAB Descriptions of Plant Viruses*. 275.
3. Brunt, A., Crabtree, K., and Gibbs, A., eds. (1990) *Viruses of Tropical Plants*. CAB International, Wallingford, UK.
4. Van Dun, C. M. P., Overduin, B., van Vloten-Doting, L., and Bol, J. F. (1988) Transgenic tobacco expressing tobacco streak virus or mutated alfalfa mosaic virus coat protein does not cross-protect against alfalfa mosaic virus infection. *Virology* **164**, 383–389.
5. Ge, X. and Scott, S. W. (1994) The nucleotide sequence of citrus leaf rugose ilarvirus RNA-2. *J. Gen. Virol.* **75**, 2841–2846.
6. Guo, D., Maiss, E., Adam, G., and Casper, R. (1995) Prunus necrotic ringspot ilarvirus: nucleotide sequence of RNA3 and the relationship to other ilarviruses based on coat protein comparison. *J. Gen. Virol.* **76**, 1073–1079.
7. Scott, S. W. and Ge, X. (1995) The complete nucleotide sequence of RNA 3 of citrus leaf rugose and citrus variegation ilarviruses. *J. Gen. Virol.* **76**, 957–963.
8. Alrefai, R. H., Shiel, P. J., Domier, L. L., D'Arcy, C. J., Berger, P. H., and Korban, S. S. (1994) The nucleotide sequence of apple mosaic virus coat protein gene has no homology with other *Bromoviridae* coat protein genes. *J. Gen. Virol.* **75**, 2847–2850.
9. Sánchez-Navarro, J. A. and Pallás, V. (1994) Nucleotide sequence of apple mosaic ilarvirus RNA 4. *J. Gen. Virol.* **75**, 1441–1445.
10. Cornelissen, B. J. C., Janssen, H., Zuidema, D., and Bol, J. F. (1984) Complete nucleotide sequence of tobacco streak virus RNA3. *Nucleic Acids Res.* **12**, 2427–2437.
11. Bachman, E. J., Sott, S. W., Xin, G., and Vance, V. B. (1994) The complete nucleotide sequence of prune dwarf ilarvirus RNA3: implication for coat protein activation of genome replication in ilarviruses. *Virology* **201**, 127–131.